

# Safety data sheet

Page: 1/10

BASF Safety data sheet Date / Revised: 02.07.2018 Product: Lutensol® CS 6250

Version: 1.0

(30266583/SDS\_GEN\_VN/EN) Date of print 03.07.2018

## 1. Substance/preparation and manufacturer/supplier identification

## Lutensol® CS 6250

Use: Raw material for the chemical-technical industry

Manufacturer/supplier: BASF Vietnam Co. Ltd. 12 Tu do Boulevard, Vietnam-Singapore IP Thuan An, Binh Duong, VIETNAM Telephone: +84 2743 743-100 Telefax number: +84 2743 743-200 E-mail address: dinhnam.nguyen@basf.com

Emergency information: International emergency number: Telephone: +49 180 2273-112

## 2. Hazard identification

Classification of the substance and mixture: Acute toxicity: Cat. 4 (oral) Serious eye damage/eye irritation: Cat. 1

Label elements and precautionary statement:

Pictogram:



Signal Word: Danger

Page: 2/10

BASF Safety data sheet Date / Revised: 02.07.2018 Product: Lutensol® CS 6250

#### Version: 1.0

(30266583/SDS\_GEN\_VN/EN)

Date of print 03.07.2018

Hazard Statement: H318 H302	Causes serious eye damage. Harmful if swallowed.		
Precautionary Statements (Prevention):			
P280	Wear eye/face protection.		
P270	Do not eat, drink or smoke when using this product.		
P264	Wash with plenty of water and soap thoroughly after handling.		
Precautionary Statements (Response):			
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P310	Immediately call a POISON CENTER or doctor/physician.		
P330	Rinse mouth.		
Precautionary Statements (Disposal):			
P501	Dispose of contents/container to hazardous or special waste collection point.		

Other hazards which do not result in classification: No specific dangers known, if the regulations/notes for storage and handling are considered.

This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request or at the request of a detergent manufacturer.

## 3. Composition/information on ingredients

#### **Chemical nature**

Polymer based on: Hexan-1-ol, ethoxylated CAS Number: 31726-34-8

Hazardous ingredients

2-(2-hexyloxyethoxy)ethanol Content (W/W): >= 1 % - < 5 % CAS Number: 112-59-4

Acute Tox.: Cat. 5 (oral) Acute Tox.: Cat. 4 (dermal) Eye Dam./Irrit.: Cat. 1

## 4. First-Aid Measures

General advice: Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

Page: 3/10

BASF Safety data sheet Date / Revised: 02.07.2018 Product: Lutensol® CS 6250

Version: 1.0

(30266583/SDS\_GEN\_VN/EN)

Date of print 03.07.2018

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Note to physician:

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known. Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## 5. Fire-Fighting Measures

Suitable extinguishing media: water spray, dry powder, foam

Specific hazards:

harmful vapours, carbon oxides Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment: Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

## 6. Accidental Release Measures

Personal precautions: Use personal protective clothing. Information regarding personal protective measures see, section 8.

Environmental precautions: Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up: For large amounts: Dike spillage. Pump off product. For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

Additional information: High risk of slipping due to leakage/spillage of product.

Page: 4/10

BASF Safety data sheet Date / Revised: 02.07.2018 Product: Lutensol® CS 6250

Version: 1.0

(30266583/SDS\_GEN\_VN/EN)

Date of print 03.07.2018

## 7. Handling and Storage

#### Handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion: Take precautionary measures against static discharges.

#### Storage

Suitable materials for containers: Stainless steel 1.4301 (V2), Stainless steel 1.4401, Stainless steel 1.4539, Stainless steel 1.4541, Stainless steel 1.4571, glass, High density polyethylene (HDPE), Low density polyethylene (LDPE), Carbon steel (Iron), tinned carbon steel (Tinplate) Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

The packed product is not damaged by low temperatures or by frost. Bulk must be protected from solidification.

Protect from temperatures above: 70 °C

Properties of the product change irreversibly on exceeding the limit temperature.

## 8. Exposure controls and personal protection

Components with occupational exposure limits

No occupational exposure limits known.

#### Personal protective equipment

Respiratory protection:

Respiratory protection in case of vapour/aerosol release. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

#### Hand protection:

Chemical resistant protective gloves

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374):

nitrile rubber (NBR) - 0.4 mm coating thickness

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection:

Tightly fitting safety goggles (cage goggles) (e.g. EN 166) and face shield.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

Page: 5/10

BASF Safety data sheet Date / Revised: 02.07.2018 Product: Lutensol® CS 6250

Version: 1.0

(30266583/SDS\_GEN\_VN/EN)

Date of print 03.07.2018

General safety and hygiene measures:

Wearing of closed work clothing is recommended. No eating, drinking, smoking or tobacco use at the place of work. Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and Chemical Properties

Form: Colour: Odour: Odour threshold:	liquid colourless to yellowish product specific not determined	
pH value:	approx. 7 (50 g/l, 23 °C)	
Melting point: Boiling point:	< 0 °C > 200 °C (1,013 hPa)	
Flash point:	176 °C	(DIN 51758)
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.	
Flammability (solid/gas):	not flammable	
Lower explosion limit:	For liquids not relevant for classification and labelling., The lower explosion point may be 5 - 15 °C below the flash point.	
Upper explosion limit:	For liquids not relevant for classification and labelling. > 250 °C	
Ignition temperature:		(DIN 51794)
Thermal decomposition: Self ignition:	> 150 °C not self-igniting	
Self heating ability:	It is not a substance capable of spontaneous heating.	
Explosion hazard: Fire promoting propertie	not explosive s: not fire-propagating	
Vapour pressure:	< 0.1 hPa (20 °C)	
Density:	approx. 1 g/cm3 (23 °C)	
Relative density:	No data available.	

Page: 6/10

BASF Safety data sheet Date / Revised: 02.07.2018 Product: Lutensol® CS 6250

Version: 1.0

(30266583/SDS\_GEN\_VN/EN)

Date of print 03.07.2018

Relative vapour density (air):				
	not determined			
Solubility in water:	soluble			
	(15 °C)			
Hygroscopy:	Non-hygroscopic			
Solubility (qualitative) solvent(s): alcohols				
	soluble			
Partitioning coefficient n-octanol/water (log Pow):				
	not applicable			
Surface tension:	48 mN/m	(DIN EN 14370)		
	(20 °C; 1 g/l)			
	37.5 mN/m	(DIN EN 14370)		
	(20 °C; 5 g/l)	· · · · · · · · · · · · · · · · · · ·		
Viscosity, dynamic:				
	not determined			
Viscosity, kinematic:	approx. 20 mm2/s			
-	(23 °C)			
	• •			

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

## 10. Stability and Reactivity

Conditions to avoid: See MSDS section 7 - Handling and storage.

Thermal decomposition: > 150 °C

Substances to avoid: caustics, halogens, Alkalines, acids, reactive chemicals

Corrosion to metals: Corrosive effects to metal are not anticipated.

Hazardous reactions: No hazardous reactions when stored and handled according to instructions.

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

## **11. Toxicological Information**

#### Acute toxicity

Experimental/calculated data: LD50 rat (oral): > 300 - 2,000 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation): not determined

Page: 7/10

Version: 1.0

BASF Safety data sheet Date / Revised: 02.07.2018 Product: Lutensol® CS 6250

(30266583/SDS\_GEN\_VN/EN)

Date of print 03.07.2018

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)

Information on: 2-(2-hexyloxyethoxy)ethanol Experimental/calculated data: LD50 rabbit (dermal): 2,001 - 2,216 mg/kg (similar to OECD guideline 402)

#### Irritation

Experimental/calculated data: Skin corrosion/irritation rabbit: non-irritant (other) The product has not been tested. The statement has been derived from the properties of the individual components.

Serious eye damage/irritation rabbit: irreversible damage (other) The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 2-(2-hexyloxyethoxy)ethanol Experimental/calculated data: Skin corrosion/irritation rabbit: non-irritant (Directive 84/449/EEC, B.4) Literature data.

Information on: 2-(2-hexyloxyethoxy)ethanol Experimental/calculated data: Serious eye damage/irritation rabbit: irreversible damage (OECD Guideline 405)

#### **Respiratory/Skin sensitization**

Assessment of sensitization: No data available.

#### Germ cell mutagenicity

Assessment of mutagenicity: No data available.

#### Carcinogenicity

Assessment of carcinogenicity: No data available.

#### **Reproductive toxicity**

Assessment of reproduction toxicity: No data available.

#### **Developmental toxicity**

Assessment of teratogenicity: No data available.

Page: 8/10

BASF Safety data sheet Date / Revised: 02.07.2018 Product: Lutensol® CS 6250

Version: 1.0

(30266583/SDS\_GEN\_VN/EN)

Date of print 03.07.2018

#### Specific target organ toxicity (single exposure):

Remarks: No data available.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity: No data available.

#### Aspiration hazard

No aspiration hazard expected.

#### Other relevant toxicity information

The product has not been tested. The statements on toxicology have been derived from products of a similar structure and composition.

#### **12. Ecological Information**

#### Ecotoxicity

Toxicity to fish: LC50 (96 h) > 100 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 84/449/EEC, C.1)

Aquatic invertebrates: EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1)

Aquatic plants: EC50 (72 h) > 100 mg/l, Scenedesmus subspicatus (Guideline 92/69/EEC, C.3)

EC10 (72 h) > 100 mg/l (growth rate), Scenedesmus subspicatus (Guideline 92/69/EEC, C.3)

Microorganisms/Effect on activated sludge: EC50 > 1,000 mg/l Inhibition of degradation activity in activated sludge is not to be anticipated during correct introduction of low concentrations.

Chronic toxicity to fish: No data available.

Chronic toxicity to aquatic invertebrates: No data available.

Assessment of terrestrial toxicity: No data available concerning terrestrial toxicity.

#### Mobility

Assessment transport between environmental compartments: The substance will not evaporate into the atmosphere from the water surface. Adsorption to solid soil phase is possible.

Page: 9/10

BASF Safety data sheet Date / Revised: 02.07.2018 Product: Lutensol® CS 6250

Version: 1.0

(30266583/SDS\_GEN\_VN/EN)

Date of print 03.07.2018

#### Persistence and degradability

Elimination information:

> 60 % CO2 formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) Readily biodegradable.

#### Sum parameter

Chemical oxygen demand (COD): (calculated) approx. 2,140 mg/g

#### **Bioaccumulation potential**

Assessment bioaccumulation potential: Accumulation in organisms is not to be expected.

#### **Additional information**

Add. remarks environm. fate & pathway: Treatment in biological waste water treatment plants has to be performed according to local and administrative regulations.

Other ecotoxicological advice:

The product has not been tested. The statements on ecotoxicology have been derived from products of a similar structure and composition. Do not allow to enter soil, waterways or waste water channels.

## **13. Disposal Considerations**

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging: Uncontaminated packaging can be re-used. Packs that cannot be cleaned should be disposed of in the same manner as the contents.

## **14. Transport Information**

**Domestic transport:** 

Not classified as a dangerous good under transport regulations

Sea transport IMDG

Not classified as a dangerous good under transport regulations

#### Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

Page: 10/10

BASF Safety data sheet Date / Revised: 02.07.2018 Product: Lutensol® CS 6250

Version: 1.0

(30266583/SDS\_GEN\_VN/EN) Date of print 03.07.2018

## **15. Regulatory Information**

#### Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

## 16. Other Information

Information on intended use: This product is of industrial quality and unless otherwise specified or agreed intended exclusively for industrial use. This includes the mentioned and recommended usage. Any other intended applications should be discussed with the manufacturer. In particular this concerns the application for products that are the object of special standards and regulations.

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.